




**VITI AUTOFILETTANTI  
 SELF TAPPING SCREWS**

C15 CEMENTATE - CARBON STEEL C15 HARDENED  
 TESTA CILINDRICA - PAN HEAD  
 IMPRONTA CROCE PHILLIPS - CROSS RECESS PHILLIPS  
 CON PUNTA - WITH POINT

COD 11811

UNI 6954 - AB  
 DIN 7981 - C  
 ISO 7049



|    |     | 2,2  | 2,9  | 3,5  | 3,9  | 4,2  | 4,8  | 5,5   | 6,3   |
|----|-----|------|------|------|------|------|------|-------|-------|
| d1 | min | 2,10 | 2,76 | 3,35 | 3,73 | 4,04 | 4,62 | 5,28  | 6,03  |
|    | max | 2,24 | 2,90 | 3,53 | 3,91 | 4,22 | 4,80 | 5,46  | 6,25  |
| d2 | min | 3,90 | 5,30 | 6,54 | 7,14 | 7,84 | 9,14 | 10,37 | 12,07 |
|    | max | 4,20 | 5,60 | 6,90 | 7,50 | 8,20 | 9,50 | 10,80 | 12,50 |
| k  | min | 1,55 | 1,95 | 2,35 | 2,55 | 2,75 | 3,25 | 3,65  | 4,25  |
|    | max | 1,80 | 2,20 | 2,60 | 2,80 | 3,05 | 3,55 | 3,95  | 4,55  |
| ph |     | 1    | 1    | 2    | 2    | 2    | 2    | 3     | 3     |

| Lunghezza /<br>Lenght mm. | Diametro / Diameter mm. (*) |     |     |     |     |     |     |     |
|---------------------------|-----------------------------|-----|-----|-----|-----|-----|-----|-----|
|                           | 2,2                         | 2,9 | 3,5 | 3,9 | 4,2 | 4,8 | 5,5 | 6,3 |
| 4,5                       |                             |     |     |     |     |     |     |     |
| 6,5                       |                             |     |     |     |     |     |     |     |
| 9,5                       |                             |     |     |     |     |     |     |     |
| 13                        |                             |     |     |     |     |     |     |     |
| 16                        |                             |     |     |     |     |     |     |     |
| 19                        |                             |     |     |     |     |     |     |     |
| 22                        |                             |     |     |     |     |     |     |     |
| 25                        |                             |     |     |     |     |     |     |     |
| 32                        |                             |     |     |     |     |     |     |     |
| 38                        |                             |     |     |     |     |     |     |     |
| 45                        |                             |     |     |     |     |     |     |     |
| 50                        |                             |     |     |     |     |     |     |     |
| 60                        |                             |     |     |     |     |     |     |     |
| 70 / 60                   |                             |     |     |     |     |     |     |     |
| 80 / 60                   |                             |     |     |     |     |     |     |     |
| 90 / 60                   |                             |     |     |     |     |     |     |     |
| 100 / 60                  |                             |     |     |     |     |     |     |     |
| 110 / 60                  |                             |     |     |     |     |     |     |     |
| 120 / 60                  |                             |     |     |     |     |     |     |     |

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA  
ON DEMAND



# MILANOVITI s.r.l.


## FABBRICA VITERIE

### VITI AUTOFILETTANTI SELF TAPPING SCREWS

INOX A2 - STAINLESS STEEL A2  
TESTA CILINDRICA - PAN HEAD  
IMPRONTA CROCE PHILLIPS - CROSS RECESS PHILLIPS  
CON PUNTA - WITH POINT

COD 12811

UNI 6954 - AB  
DIN 7981 - C  
ISO 7049



|    |     | 2,2  | 2,9  | 3,5  | 3,9  | 4,2  | 4,8  | 5,5   | 6,3   |
|----|-----|------|------|------|------|------|------|-------|-------|
| d1 | min | 2,10 | 2,76 | 3,35 | 3,73 | 4,04 | 4,62 | 5,28  | 6,03  |
|    | max | 2,24 | 2,90 | 3,53 | 3,91 | 4,22 | 4,80 | 5,46  | 6,25  |
| d2 | min | 3,90 | 5,30 | 6,54 | 7,14 | 7,84 | 9,14 | 10,37 | 12,07 |
|    | max | 4,20 | 5,60 | 6,90 | 7,50 | 8,20 | 9,50 | 10,80 | 12,50 |
| k  | min | 1,55 | 1,95 | 2,35 | 2,55 | 2,75 | 3,25 | 3,65  | 4,25  |
|    | max | 1,80 | 2,20 | 2,60 | 2,80 | 3,05 | 3,55 | 3,95  | 4,55  |
| ph |     | 1    | 1    | 2    | 2    | 2    | 2    | 3     | 3     |

| Lunghezza /<br>Lenght mm. | Diametro / Diameter mm. (*) |     |     |     |     |     |     |     |
|---------------------------|-----------------------------|-----|-----|-----|-----|-----|-----|-----|
|                           | 2,2                         | 2,9 | 3,5 | 3,9 | 4,2 | 4,8 | 5,5 | 6,3 |
| 4,5                       |                             |     |     |     |     |     |     |     |
| 6,5                       |                             |     |     |     |     |     |     |     |
| 9,5                       |                             |     |     |     |     |     |     |     |
| 13                        |                             |     |     |     |     |     |     |     |
| 16                        |                             |     |     |     |     |     |     |     |
| 19                        |                             |     |     |     |     |     |     |     |
| 22                        |                             |     |     |     |     |     |     |     |
| 25                        |                             |     |     |     |     |     |     |     |
| 32                        |                             |     |     |     |     |     |     |     |
| 38                        |                             |     |     |     |     |     |     |     |
| 45                        |                             |     |     |     |     |     |     |     |
| 50                        |                             |     |     |     |     |     |     |     |
| 60                        |                             |     |     |     |     |     |     |     |
| 70 / 60                   |                             |     |     |     |     |     |     |     |
| 80 / 60                   |                             |     |     |     |     |     |     |     |
| 90 / 60                   |                             |     |     |     |     |     |     |     |
| 100 / 60                  |                             |     |     |     |     |     |     |     |
| 110 / 60                  |                             |     |     |     |     |     |     |     |
| 120 / 60                  |                             |     |     |     |     |     |     |     |

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA  
ON DEMAND



# MILANOVITI s.r.l.


## FABBRICA VITERIE

### VITI AUTOFILETTANTI SELF TAPPING SCREWS

INOX A4 - STAINLESS STEEL A4  
TESTA CILINDRICA - PAN HEAD  
IMPRONTA CROCE PHILLIPS - CROSS RECESS PHILLIPS  
CON PUNTA - WITH POINT

COD 14811

UNI 6954 - AB  
DIN 7981 - C  
ISO 7049



|    |     | 2,2  | 2,9  | 3,5  | 3,9  | 4,2  | 4,8  | 5,5   | 6,3   |
|----|-----|------|------|------|------|------|------|-------|-------|
| d1 | min | 2,10 | 2,76 | 3,35 | 3,73 | 4,04 | 4,62 | 5,28  | 6,03  |
|    | max | 2,24 | 2,90 | 3,53 | 3,91 | 4,22 | 4,80 | 5,46  | 6,25  |
| d2 | min | 3,90 | 5,30 | 6,54 | 7,14 | 7,84 | 9,14 | 10,37 | 12,07 |
|    | max | 4,20 | 5,60 | 6,90 | 7,50 | 8,20 | 9,50 | 10,80 | 12,50 |
| k  | min | 1,55 | 1,95 | 2,35 | 2,55 | 2,75 | 3,25 | 3,65  | 4,25  |
|    | max | 1,80 | 2,20 | 2,60 | 2,80 | 3,05 | 3,55 | 3,95  | 4,55  |
| ph |     | 1    | 1    | 2    | 2    | 2    | 2    | 3     | 3     |

| Lunghezza /<br>Lenght mm. | Diametro / Diameter mm. (*) |     |     |     |     |     |     |     |
|---------------------------|-----------------------------|-----|-----|-----|-----|-----|-----|-----|
|                           | 2,2                         | 2,9 | 3,5 | 3,9 | 4,2 | 4,8 | 5,5 | 6,3 |
| 4,5                       |                             |     |     |     |     |     |     |     |
| 6,5                       |                             |     |     |     |     |     |     |     |
| 9,5                       |                             |     |     |     |     |     |     |     |
| 13                        |                             |     |     |     |     |     |     |     |
| 16                        |                             |     |     |     |     |     |     |     |
| 19                        |                             |     |     |     |     |     |     |     |
| 22                        |                             |     |     |     |     |     |     |     |
| 25                        |                             |     |     |     |     |     |     |     |
| 32                        |                             |     |     |     |     |     |     |     |
| 38                        |                             |     |     |     |     |     |     |     |
| 45                        |                             |     |     |     |     |     |     |     |
| 50                        |                             |     |     |     |     |     |     |     |
| 60                        |                             |     |     |     |     |     |     |     |
| 70 / 60                   |                             |     |     |     |     |     |     |     |
| 80 / 60                   |                             |     |     |     |     |     |     |     |
| 90 / 60                   |                             |     |     |     |     |     |     |     |
| 100 / 60                  |                             |     |     |     |     |     |     |     |
| 110 / 60                  |                             |     |     |     |     |     |     |     |
| 120 / 60                  |                             |     |     |     |     |     |     |     |

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA  
ON DEMAND