




VITI AUTOFILETTANTI SELF TAPPING SCREWS

C15 CEMENTATE - CARBON STEEL C15 HARDENED
TESTA SVASATA CALOTTA-RAISED COUNTERSUNK HEAD
IMPRONTA PHILLIPS-PHILLIPS CROSS RECESS
CON PUNTA - WITH POINT

COD 11831

DIN 7983-C
UNI 6956 AB
ISO 7051



		2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
d1	min	2,10	2,79	3,43	3,78	4,09	4,65	5,31	6,10
	max	2,24	2,90	3,53	3,91	4,22	4,80	5,46	6,25
d2		4,30	5,50	6,80	7,50	8,10	9,50	10,80	12,40
K		1,30	1,70	2,10	2,30	2,50	3,00	3,40	3,80

Lunghezza / Lenght mm.	Diametro / Diameter mm. (*)							
	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5								
6,5								
9,5								
13								
16								
19								
22								
25								
32								
38								
45								
50								
60								
70 / 60								
80 / 60								
90 / 60								
100 / 60								
110 / 60								

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA
ON DEMAND



MILANOVITI s.r.l.


FABBRICA VITERIE

VITI AUTOFILETTANTI SELF TAPPING SCREWS

INOX A2 - STAINLESS STEEL A2
TESTA SVASATA CALOTTA-RAISED COUNTERSUNK HEAD
IMPRONTA PHILLIPS-PHILLIPS CROSS RECESS
CON PUNTA - WITH POINT

COD 12831

DIN 7983-C
UNI 6956 AB
ISO 7051



		2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
d1	min	2,10	2,79	3,43	3,78	4,09	4,65	5,31	6,10
	max	2,24	2,90	3,53	3,91	4,22	4,80	5,46	6,25
d2		4,30	5,50	6,80	7,50	8,10	9,50	10,80	12,40
k		1,30	1,70	2,10	2,30	2,50	3,00	3,40	3,80

Lunghezza / Length mm.	Diametro / Diameter mm. (*)							
	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5								
6,5								
9,5								
13								
16								
19								
22								
25								
32								
38								
45								
50								
60								
70								
80								
90								
100								
110								

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA
ON DEMAND




VITI AUTOFILETTANTI SELF TAPPING SCREWS

INOX A4 - STAINLESS STEEL A4
TESTA SVASATA CALOTTA-RAISED COUNTERSUNK HEAD
IMPRONTA PHILLIPS-PHILLIPS CROSS RECESS
CON PUNTA - WITH POINT

COD 14831

DIN 7983-C
UNI 6956 AB
ISO 7051



		2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
d1	min	2,10	2,79	3,43	3,78	4,09	4,65	5,31	6,10
	max	2,24	2,90	3,53	3,91	4,22	4,80	5,46	6,25
d2		4,30	5,50	6,80	7,50	8,10	9,50	10,80	12,40
k		1,30	1,70	2,10	2,30	2,50	3,00	3,40	3,80

Lunghezza / Length mm.	Diametro / Diameter mm. (*)							
	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5								
6,5								
9,5								
13								
16								
19								
22								
25								
32								
38								
45								
50								
60								
70								
80								
90								
100								
110								

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA
ON DEMAND