




VITI METRICHE MACHINE SCREWS

ACCIAIO CL. 4.8 - STEEL CL 4.8
 TESTA SVASATA . COUNTERSUNK HEAD
 IMPRONTA 6 LOBI . 6 LOBES RECESS
 ZINCATE BIANCHE Cr3 - WHITE ZINC PLATED Cr3

COD 30821

DIN 965 SIMILAR



Diametri / Diameters									
	M1,6	M2	M2,5	M3	M3,5	M4	M5	M6	M8
d1 max	3,00	3,80	4,70	5,60	6,50	7,50	9,20	11,00	14,50
K	0,96	1,20	1,50	1,65	1,93	2,20	2,50	3,00	4,00
Recess	T5	T6	T8	T10	T15	T20	T25	T30	T40

Lunghezza / Lenght mm.	Diametro / Diameter mm. (*)								
	M1,6	M2	M2,5	M3	M3,5	M4	M5	M6	M8
3									
4									
5									
6									
8									
10									
12									
16									
20									
25									
30									
35									
40									
45									
50									
55									
60									
70									
80									

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA/ON DEMAND




VITI METRICHE MACHINE SCREWS

ACCIAIO INOX A2 - STAINLESS STEEL A2
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA 6 LOBI . 6 LOBES RECESS

COD 32823

DIN 965 SIMILAR



Diametri / Diameters									
	M1,6	M2	M2,5	M3	M3,5	M4	M5	M6	M8
d1 max	3,00	3,80	4,70	5,60	6,50	7,50	9,20	11,00	14,50
K	0,96	1,20	1,50	1,65	1,93	2,20	2,50	3,00	4,00
Recess	T5	T6	T8	T10	T15	T20	T25	T30	T40

Lunghezza / Lenght mm.	Diametro / Diameter mm. (*)								
	M1,6	M2	M2,5	M3	M3,5	M4	M5	M6	M8
3	Standard	Standard	Standard						
4	Standard	Standard	Standard						
5		Standard	Standard			Standard			
6		Standard	Standard			Standard	Standard		
8		Standard	Standard		Standard	Standard	Standard	Standard	
10		Standard	Standard		Standard	Standard	Standard	Standard	
12		Standard	Standard		Standard	Standard	Standard	Standard	Standard
14				Standard	Standard	Standard	Standard	Standard	Standard
16		Standard	Standard		Standard	Standard	Standard	Standard	Standard
20		Standard	Standard		Standard	Standard	Standard	Standard	Standard
25			Standard	Standard	Standard	Standard	Standard	Standard	Standard
30				Standard	Standard	Standard	Standard	Standard	Standard
35				Standard	Standard	Standard	Standard	Standard	Standard
40				Standard	Standard	Standard	Standard	Standard	Standard
45				Standard	Standard	Standard	Standard	Standard	Standard
50				Standard	Standard	Standard	Standard	Standard	Standard
55						Standard	Standard	Standard	Standard
60						Standard	Standard	Standard	Standard
70						Standard	Standard	Standard	Standard

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA/ON DEMAND




VITI METRICHE MACHINE SCREWS

ACCIAIO INOX A4 - STAINLESS STEEL A4
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA 6 LOBI . 6 LOBES RECESS

COD 34821

DIN 965 SIMILAR



Diametri / Diameters									
	M1,6	M2	M2,5	M3	M3,5	M4	M5	M6	M8
d1 max	3,00	3,80	4,70	5,60	6,50	7,50	9,20	11,00	14,50
K	0,96	1,20	1,50	1,65	1,93	2,20	2,50	3,00	4,00
Recess	T5	T6	T8	T10	T15	T20	T25	T30	T40

Lunghezza / Lenght mm.	Diametro / Diameter mm. (*)								
	M1,6	M2	M2,5	M3	M3,5	M4	M5	M6	M8
3									
4									
5				Standard		Standard			
6				Standard		Standard	Standard		
8				Standard	Standard	Standard	Standard		
10				Standard	Standard	Standard	Standard	Standard	
12				Standard	Standard	Standard	Standard	Standard	Standard
16				Standard	Standard	Standard	Standard	Standard	Standard
20				Standard	Standard	Standard	Standard	Standard	Standard
25					Standard	Standard	Standard	Standard	Standard
30					Standard	Standard	Standard	Standard	Standard
35						Standard	Standard	Standard	Standard
40						Standard	Standard	Standard	Standard
45							Standard	Standard	Standard
50							Standard	Standard	Standard
55								Standard	Standard
60									Standard
70									
80									

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA/ON DEMAND