




VITI METRICHE MACHINE SCREWS

ACCIAIO CL. 4.8 - STEEL CL 4.8
 TESTA CILINDRICA . PAN HEAD
 IMPRONTA 6 LOBI . 6 LOBES RECESS
 ZINCATE BIANCHE Cr3 - WITH ZINC PLATED Cr3

COD 30885

DIN 7985 SIMILAR



| Diametri / Diameters | | | | | | | | | |
|----------------------|------|------|------|------|------|------|-------|-------|-------|
| | M1,6 | M2 | M2,5 | M3 | M3,5 | M4 | M5 | M6 | M8 |
| d1 max | 3,20 | 4,00 | 5,00 | 6,00 | 7,00 | 8,00 | 10,00 | 12,00 | 16,00 |
| K | 1,42 | 1,72 | 2,12 | 2,52 | 2,82 | 3,25 | 3,95 | 4,75 | 6,15 |
| Recess | T5 | T6 | T8 | T10 | T15 | T20 | T25 | T30 | T40 |

| Lunghezza / Lenght mm. | Diametro / Diameter mm. (*) | | | | | | | | |
|---------------------------|-----------------------------|----|------|----|------|----|----|----|----|
| | M1,6 | M2 | M2,5 | M3 | M3,5 | M4 | M5 | M6 | M8 |
| 3 | | | | | | | | | |
| 4 | | | | | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | | | | | |
| 8 | | | | | | | | | |
| 10 | | | | | | | | | |
| 12 | | | | | | | | | |
| 16 | | | | | | | | | |
| 20 | | | | | | | | | |
| 25 | | | | | | | | | |
| 30 | | | | | | | | | |
| 35 | | | | | | | | | |
| 40 | | | | | | | | | |
| 45 | | | | | | | | | |
| 50 | | | | | | | | | |
| 55 | | | | | | | | | |
| 60 | | | | | | | | | |
| 70 | | | | | | | | | |
| 80 | | | | | | | | | |

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA/ON DEMAND




VITI METRICHE MACHINE SCREWS

ACCIAIO INOX A2 - STAINLESS STEEL A2
TESTA CILINDRICA . PAN HEAD
IMPRONTA 6 LOBI . 6 LOBES RECESS

COD 3281013

DIN 7985 SIMILAR



| Diametri / Diameters | | | | | | | | | |
|----------------------|------|------|------|------|------|------|-------|-------|-------|
| | M1,6 | M2 | M2,5 | M3 | M3,5 | M4 | M5 | M6 | M8 |
| d1 max | 3,20 | 4,00 | 5,00 | 6,00 | 7,00 | 8,00 | 10,00 | 12,00 | 16,00 |
| K | 1,42 | 1,72 | 2,12 | 2,52 | 2,82 | 3,25 | 3,95 | 4,75 | 6,15 |
| Recess | T5 | T6 | T8 | T10 | T15 | T20 | T25 | T30 | T40 |

| Lunghezza / Lenght mm. | Diametro / Diameter mm. (*) | | | | | | | | |
|---------------------------|-----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| | M1,6 | M2 | M2,5 | M3 | M3,5 | M4 | M5 | M6 | M8 |
| 3 | Standard | Standard | Standard | | | | | | |
| 4 | Standard | Standard | Standard | | | | | | |
| 5 | Standard | Standard | Standard | | | Standard | | | |
| 6 | Standard | Standard | Standard | | Standard | Standard | | | |
| 8 | Standard | Standard | Standard | | Standard | Standard | Standard | | |
| 10 | Standard | Standard | Standard | | Standard | Standard | Standard | Standard | |
| 12 | | Standard | Standard | | Standard | Standard | Standard | Standard | Standard |
| 14 | | | | Standard | Standard | Standard | Standard | Standard | Standard |
| 16 | | Standard | Standard | | Standard | Standard | Standard | Standard | Standard |
| 20 | | Standard | Standard | | Standard | Standard | Standard | Standard | Standard |
| 25 | | | Standard | | Standard | Standard | Standard | Standard | Standard |
| 30 | | | | Standard | Standard | Standard | Standard | Standard | Standard |
| 35 | | | | Standard | Standard | Standard | Standard | Standard | Standard |
| 40 | | | | Standard | Standard | Standard | Standard | Standard | Standard |
| 45 | | | | Standard | Standard | Standard | Standard | Standard | Standard |
| 50 | | | | Standard | Standard | Standard | Standard | Standard | Standard |
| 55 | | | | | | Standard | Standard | Standard | Standard |
| 60 | | | | | | Standard | Standard | Standard | Standard |
| 70 | | | | | | Standard | Standard | Standard | Standard |

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA/ON DEMAND




VITI METRICHE MACHINE SCREWS

ACCIAIO INOX A4 - STAINLESS STEEL A4
TESTA CILINDRICA . PAN HEAD
IMPRONTA 6 LOBI . 6 LOBES RECESS

COD 34588

DIN 7985 SIMILAR



| Diametri / Diameters | | | | | | | | | |
|----------------------|------|------|------|------|------|------|-------|-------|-------|
| | M1,6 | M2 | M2,5 | M3 | M3,5 | M4 | M5 | M6 | M8 |
| d1 max | 3,20 | 4,00 | 5,00 | 6,00 | 7,00 | 8,00 | 10,00 | 12,00 | 16,00 |
| K | 1,42 | 1,72 | 2,12 | 2,52 | 2,82 | 3,25 | 3,95 | 4,75 | 6,15 |
| Recess | T5 | T6 | T8 | T10 | T15 | T20 | T25 | T30 | T40 |

| Lunghezza / Lenght mm. | Diametro / Diameter mm. (*) | | | | | | | | |
|---------------------------|-----------------------------|----|------|----|------|----|----|----|----|
| | M1,6 | M2 | M2,5 | M3 | M3,5 | M4 | M5 | M6 | M8 |
| 3 | | | | | | | | | |
| 4 | | | | | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | | | | | |
| 8 | | | | | | | | | |
| 10 | | | | | | | | | |
| 12 | | | | | | | | | |
| 16 | | | | | | | | | |
| 20 | | | | | | | | | |
| 25 | | | | | | | | | |
| 30 | | | | | | | | | |
| 35 | | | | | | | | | |
| 40 | | | | | | | | | |
| 45 | | | | | | | | | |
| 50 | | | | | | | | | |
| 55 | | | | | | | | | |
| 60 | | | | | | | | | |
| 70 | | | | | | | | | |
| 80 | | | | | | | | | |

PRODUZIONE STANDARD

PRODUZIONE SU RICHIESTA/ON DEMAND